PAVIOM

RN511

RN512

RN513

RN514

RN515

ORNO LED

Orno LED in-ground luminaires offer stunning effects and practical solutions. Uplighting with colour or subtle way guidance are application ideas to stimulate the designer's imagination.

- IP68 protected
- LED Ø5 and LED SMD
- LED colours: white, red, blue, green
- Tapered recessed rough-in section for installed security
- 316 stainless steel housing and surface plate
- 10mm toughened safety glass cover, transparent or diffused
- In-ground or wall mounted

For full specification information please visit **www.paviom.com/ornoled**

Red

Green

Blue







PAVIOM
PAVIOM
PAVIOM

Orno LED Mini in-ground luminaires for dramatic uplighting effects or understated orientation.



ORNO LED MINI T

Dimensions:
Ø 91 mm (surface)
D 160 mm
Ø 162 mm (base)

Static load 300kg
Surface temp 40°c
Integral driver

CODE	Luminaire
RN511	Orno – LED Mini In-Ground – Transparent Lens

CODE	Lamp Type
.05WH	White Ø5 LED
.05RD	Red Ø5 LED
.05BL	Blue Ø5 LED
.05GR	Green Ø5 LED



ORNO LED MINI D

Dimensions:
Ø 91 mm (surface)
D 160 mm
Ø 162 mm (base)

Static load 300kg
Surface temp 40°c
Integral driver

CODE	Luminaire
RN512	Orno – LED Mini In-Ground – Diffusing Lens

CODE	Lamp Type
.01WH	White 1w SMD LED
.01RD	Red 1w SMD LED
.01BL	Blue 1w SMD LED
.01GR	Green 1w SMD LED

Orno LED Midi in-ground luminaires offer the designer similar characteristics to Orno Minor with enhanced power.



ORNO LED MIDI T

Dimensions:
Ø 144 mm (surface)
D 190 mm
Ø 212 mm (base)

Static load 300kg
Surface temp 40°c
Integral driver

CODE	Luminaire
RN513	Orno – LED Midi In-Ground – Transparent Lens

CODE	Lamp Type
.05WH	White Ø5 LED
.05RD	Red Ø5 LED
.05BL	Blue Ø5 LED
.05GR	Green Ø5 LED



ORNO LED MIDI D

Dimensions:
Ø 144 mm (surface)
D 190 mm
Ø 212 mm (base)

Static load 300kg
Surface temp 40°c
Integral driver

CODE	Luminaire
RN514	Orno – LED Midi In-Ground –Diffusing Lens

CODE	Lamp Type
.01WH	White 1w SMD LED
.01RD	Red 1w SMD LED
.01BL	Blue 1w SMD LED
.01GR	Green 1w SMD LED

Orno LED Micro is a decorative in-ground luminaire primarily installed for way guidance and for its unobtrusive appearance.



ORNO LED MICRO

Dimensions:
Ø 50 mm (surface)
D 132 mm
Ø 105 mm (base)

Static load 300kg
Surface temp 40°c

CODE	Luminaire
RN515	Micro In-Ground LED*

CODE	Lamp Type
.05WH	White Ø5 LED
.05RD	Red Ø5 LED
.05BL	Blue Ø5 LED
.05GR	Green Ø5 LED

* (requires remote driver)

CODE	Luminaire
D101D	Driver for Orno – LED

CODE	Lamp Type
.DR01	LED Driver for 1 – 10 x 1w lamps (IP65)
.DR02	LED Driver for 1 – 6 x 1w lamps (IP68)